## **RISK ASSESSMENT**



You must complete a risk assessment for your stand to conform to our booking terms. Information to help you is overleaf. Please complete in block capitals.

We also require proof of your **Public Liability** insurance. Please ensure we have a copy that shows you are covered for the duration of the event (therefore including the period of set up and clear down).

| Stand Name:                         |                                   |       |                                  | Date:  |
|-------------------------------------|-----------------------------------|-------|----------------------------------|--|
| Address:                            |                                   |       |                                  | Signature:   |
|                                     |                                   |       |                                  | Tel No:  |
| Contact (person responsible):       |                                   |       |                                  | Mobile No:   |
| PUBLIC LIABILITY                    |                                   |       | Expiry date:                     | Copy enclosed:   |
| Insured by:                         |                                   | ,,    | Y / N<br>or to follow on renewal |  |
| GENERAL                             |                                   |       |                                  |  |
| Hazard                              |                                   |       | Persons at Risk                  | Actions to Minimise Risk   |
|                                     |                                   |       |                                  |  |
|                                     |                                   |       |                                  |  |
|                                     |                                   |       |                                  |  |
|                                     |                                   |       |                                  |  |
|                                     |                                   |       |                                  |  |
| FIRE ASSESSMENT                     | •                                 |       |                                  |  |
| Hazard                              |                                   |       | Persons at Risk                  | Actions to Minimise Risk   |
|                                     |                                   |       |                                  |  |
|                                     |                                   |       |                                  |  |
|                                     |                                   |       | I .                              | -  |
| GAS CYLINDERS<br>LPG/Butane/Propane | Cylinders on site? Cylinder size: | size: |                                  | These must be suitably caged. See Trade Stand information brochure |
| CRANES                              | Crane on site?<br>Which days?     | YES   | s/NO                             |  |

## RISK ASSESSMENT INFORMATION



Current health & safety regulations require you to prepare a risk assessment for your stand at the Royal Norfolk Show to cover the periods from your initial arrival on site to your final departure.

Using the following guidelines, please consider what risks there are to those building / dismantling / operating trade stands or catering facilities, and to members of the public during the Show. You should outline the steps you propose to take to minimise these risks overleaf, then sign and return the form to the Show office.

## \*\* THERE IS NO SUCH THING AS 'NO RISK' \*\*

You are liable for the health & safety of your staff while on your site and for ensuring all staff are appropriately trained where necessary.

| 1   |
|---|
| as  |
| s <b>Example:</b> Fire Hazard   |
| us activities   |
| Combustible materials   |
| (e.g. LPG bottles, rubbish, paper)  |
| s   |
| n height Ignition sources   |
| (e.g. smoking, faulty wiring)   |
|   |
| faces   |
|   |
|   |
| Example: Working at Height  |
| <b>Example:</b> Welling at Height   |
| on stand Working environment  |
| nachinery parts (e.g. roofs, marquees, ladders etc)   |
| (c.g. 10013, marquees, raducts etc)   |
| ons Weather   |
| nps (e.g. wet/windy weather)  |
| rds (e.g. webwindy weather)   |
| ius   |
| aterials  |
| aleriais  |
| Example:  |
| ors   |
| nce staff Provide appropriate training / instruction  |
| of the public / information   |
| · ·   |
| Keep written records of such training   |
|   |
| staff & visitors Provide and use appropriate safety   |
| nced staff equipment  |
| kers  |
| NOIS .  |
|   |
| vith recognised - Fire detection and alarms / means of  |
| standards? Escape / exit signage  |
| - Fire fighting equipment and   |
|   |
| ndards set by legal   evacuation plan   |
| ents? evacuation plan - Safety equipment  |
| - Safety equipment You should indicate the precautions you  |
| ents? - Safety equipment  |
| - Safety equipment  You should indicate the precautions you have in place  Where the risk is not adequately |
| - Safety equipment You should indicate the precautions you have in place                                    |
|   |